

Potassium Chloride with Anti-Caking Agent

1. Identification

Product identifier: Potassium Chloride with Anti-Caking Agent

Product code: ----

Supplier Name: Macco Organiques Inc.

100 Rue Mcarthur suite 112 Salaberry-de-Valleyfield, Québec

Canada, J6S 4M5

 Telephone:
 450 371-1066

 Emergency tel. number:
 450 371-1066

 Available hours:
 24h - 7/7

Recommended use: Food additive

Restriction on use: Use according to local regulations.

2. Hazard identification

Signal word: NONE

Product classification:



This product is not regulated under WHMIS 2015 and Hazcom 2012.

Hazard statement(s): This product is not a hazardous material.

Precautionary statement(s)

Prevention: Wear protective gloves, protective clothing, eye and face protection. Wash hands thoroughly after handling and any other part of the body that may have been exposed to the product.

Response: Not applicable

Storage: Not applicable

Disposal: Dispose of contents/container in accordance with local, regional, national and/or international regulations in force.

Other hazards: Not applicable.

See toxicological information, section 11



Prepared by

Kalium Solutions inc.

All Rights Reserved.



Potassium Chloride with Anti-Caking Agent

3. Composition/Information on ingredients

No	CAS No :	Common name and synonyms	Concentration % (w/w)
1	7447-40-7	Potassium chloride	≥ 98.00
2	546-93-0	Magnesium carbonate. Magnesite	< 1.00
3	7631-86-9	Silica, amorphous	< 1.00

4. First-aid measures

If swallowed, irritation, any type of overexposure or symptoms of overexposure occur during use of the product or persists after use, immediately contact a POISON CENTER, an EMERGENCY ROOM or a PHYSICIAN; ensure that the product safety data sheet is available.

Eye contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention as soon as possible.

Skin contact: Remove contaminated clothing immediately. Wash the skin with soap and water. Thoroughly wet contaminated clothing.

Inhalation: Move exposed person to fresh air. Keep this person warm and lying down. Loosen tight clothing such as a collar, tie, belt or waistband. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention immediately.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Symptoms: No known symptoms.

Effects (acute or delayed): Dust from the product may cause mechanical irritation of the eyes and respiratory tract.

Immediate medical attention and special treatment: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Suitable extinguishing media: Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing media: Jets of water can facilitate the spread of fire.

Specific hazards arising from the hazardous product: No specific hazard.

Hazardous combustion products: Hydrochloric acid.

Special protective equipment and precautions for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.







Potassium Chloride with Anti-Caking Agent

6. Accidental release measures

Personal precautions: No action shall be taken involving any personal risk or if you do not have suitable training or protection. Shut off all heating and ignition sources. Avoid breathing vapor or mist. Put on appropriate personal protective equipment (see Section 8).

Protective equipment and emergency procedures: Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution. Use inert absorbent or retention tubes in the event of a large spill.

Methods and materials for containment and cleaning up: Stop leak if without risk. Move containers from spill area. Contain leaks and pick up with non-combustible absorbent materials such as sand, earth or vermiculite. Then, place in an appropriate waste disposal container according to local regulations. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Precautions for safe handling: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for safe storage: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Not applicable

Incompatibility: Halogens.

8. Exposure Controls/ Personal protection

Alberta

No	CAS No :	Common name and synonyms	8-hour occupational exposure limit (TWA)					Ceiling ccupational exposure limit	
			ppm	mg/m³	ppm	mg/m³	ppm	mg/m³	
1	7447-40-7	Potassium chloride	N/A	N/A	N/A	N/A	N/A	N/A	
2	546-93-0	Magnesium carbonate. Magnesite	N/A	N/A	N/A	N/A	N/A	N/A	
3	7631-86-9	Silica, amorphous	N/A	N/A	N/A	N/A	N/A	N/A	

British-Columbia

No	CAS No :	Common name and synonyms	8-hour occupational exposure limit (TWA)					Ceiling ccupational exposure limit	
			ppm	mg/m³	ppm	mg/m³	ppm	mg/m³	
1	7447-40-7	Potassium chloride	N/A	N/A	N/A	N/A	N/A	N/A	
2	546-93-0	Magnesium carbonate. Magnesite	N/A	N/A	N/A	N/A	N/A	N/A	
3	7631-86-9	Silica, amorphous	N/A	N/A	N/A	N/A	N/A	N/A	







Potassium Chloride with Anti-Caking Agent

Ontario

No	CAS No :	Common name and synonyms	8-hour occupational exposure limit (TWA)		15-minute occupational exposure limit (STEL)		Ceiling ccupational exposure limit	
			ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
1	7447-40-7	Potassium chloride	N/A	N/A	N/A	N/A	N/A	N/A
2	546-93-0	Magnesium carbonate. Magnesite	N/A	N/A	N/A	N/A	N/A	N/A
3	7631-86-9	Silica, amorphous	N/A	N/A	N/A	N/A	N/A	N/A

Quebec

No	CAS No :	Common name and synonyms	8-hour occupational exposure limit (TWA)		15-minute o	Ceiling ccupational exposure limit		
			ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
1	7447-40-7	Potassium chloride	N/A	N/A	N/A	N/A	N/A	N/A
2	546-93-0	Magnesium carbonate. Magnesite	N/A	10	N/A	N/A	N/A	N/A
3	7631-86-9	Silica, amorphous	N/A	N/A	N/A	N/A	N/A	N/A

Saskatchewan

No	CAS No :	Common name and synonyms	8-hour occupational exposure limit (TWA)		tional (TWA) 15-minute occupational exposure limit (STEL)			Ceiling ccupational exposure limit	
			ppm	mg/m³	ppm	mg/m³	ppm	mg/m³	
1	7447-40-7	Potassium chloride	N/A	N/A	N/A	N/A	N/A	N/A	
2	546-93-0	Magnesium carbonate. Magnesite	N/A	N/A	N/A	N/A	N/A	N/A	
3	7631-86-9	Silica, amorphous	N/A	N/A	N/A	N/A	N/A	N/A	

United States

No	CAS No :	Common name and synonyms	IDLH	Re	Regulatory Limits		Recommended Limits		
			NIOSH	OSHA PEL		California / OSHA PEL	NIOSH REL	ACGIH ® 2019 TLV ®	
				ppm	mg/m³	8-hour TWA (ST) STEL (C) Ceiling	Up to 10-hour TWA (ST) STEL (C) Ceiling	8-hour TWA (ST) STEL (C) Ceiling	
1	7447-40-7	Potassium chloride	N/A	N/A	N/A	N/A	N/A	N/A	
2	546-93-0	Magnesium carbonate. Magnesite	N/A	N/A	15 5	10 mg/m3 5 mg/m3	10 mg/m3 5 mg/m3	N/A	
3	7631-86-9	Silica, amorphous	N/A	N/A	N/A	N/A	N/A	N/A	

IDHL: Immediately Dangerous to Life or Health Concentrations NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limits

California / OSHA: California Division of Occupational Safety and Health

REL: Recommended Exposure Limits

ACGIH ®: American Conference of Governmental Industrial Hygienists







Potassium Chloride with Anti-Caking Agent

TLV ®: Threshold Limit Values

Appropriate engineering controls: N/A

Individual protection measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eyes: DO NOT WEAR CONTACT LENSES Wear anti-splash safety goggles.

Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.

Respiratory: If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Others: Wear protective clothing with long sleeves and appropriate safety shoes at all times.

9. Physical and chemical properties

Physical state: Solid Colour: White Odour: None

Odour threshold: Not applicable

pH: 8,4 sln. aq. à 5%

Melting/Freezing point: 773 °C (1423.4 °F)

Initial boiling point/boiling range: 1411 °C (2571.8 °F)

Flash point: Not applicable

Flammability (Solid, Gas): Not applicable
Lower flammable/explosive limit: Not applicable
Upper flammable/explosive limit: Not applicable
Auto-ignition temperature: Not applicable

Evaporation rate: Not applicable Vapour pressure: Not applicable Vapour density: Not applicable

Specific gravity: 1,987 kg/L at 20 °C (water = 1)

Solubility in water: 34 g/100 ml

Partition coefficient - n-octanol/water (Log Kow): Not applicable

Decomposition temperature: Not available

Kinematic viscosity: Not applicable







Potassium Chloride with Anti-Caking Agent

10. Stability and reactivity

Reactivity: Stable under recommended conditions of storage and handling.

Chemical stability: Stable under normal conditions of use. On the other hand, it is hygroscopic it absorbs water from moist air.

Possibility of hazardous reactions: No dangerous or polymerization reactions will not occur under normal conditions of use.

Conditions to avoid: Keep away from incompatible products (see section 7).

Incompatible materials: This product attacks stainless steel.

Hazardous decomposition products: Potassium oxides. Chlorine. Carbon monoxide and dioxide.

11. Toxicological information

	Oral	Dermal	Inhalation gases	Inhalation vapours	Inhalation dusts/mists
ATE _{mix}	2618.33 mg/kg	> 5 000 mg/kg	N/A	N/A	> 5 mg/l

No	CAS No:	Common name and synonyms	LD₅₀ oral mg/kg	LD ₅₀ skin mg/kg	LC ₅₀ inhalation ppmV 4h - gases	LC ₅₀ inhalation mg/l 4h - vapours	LC ₅₀ inhalation mg/l 4h - dusts-mist
1	7447-40-7	Potassium chloride	2600	> 5000	N/A	N/A	> 5.00
2	546-93-0	Magnesium carbonate. Magnesite	> 2000	> 5000	N/A	N/A	> 5.00
3	7631-86-9	Silica, amorphous	> 5000	> 5000	N/A	N/A	58.8

Routes of exposure: This product is absorbed through the respiratory tract.

Symptoms: No known symptoms.

Delayed and immediate effects: Dust from the product may cause mechanical irritation of the eyes and respiratory tract.

Aspiration hazard	N/A
Skin corrosion - Skin irritation	N/A
Serious eye damage - Serious eye irritation	N/A
Skin sensitization	N/A
Respiratory sensitization	N/A
Specific target organ toxicity – single exposure	N/A
Specific target organ toxicity – single exposure Category 3 Narcotic effects	N/A
Specific target organ toxicity – single exposure Category 3 Respiratory tract irritation	N/A
Specific target organ toxicity – repeated exposure	N/A







Potassium Chloride with Anti-Caking Agent

No	CAS No :	Common name and synonyms	IARC	ACGIH	Mutagenicity	Effect on reproduction
1	7447-40-7	Potassium chloride	N/A	N/A	The data do not allow for an adequate assessment of mutagenic effects.	No effects shown.
2	546-93-0	Magnesium carbonate. Magnesite	N/A	N/A	No effects shown.	No effects shown.
3	7631-86-9	Silica, amorphous	3	A5	No effects shown.	No effects shown.

Cancer classification under IARC (International Agency for Research on Cancer)

Group 1: carcinogenic to humans.

Group 2A: probably carcinogenic to humans.

Group 2B: possibly carcinogenic to humans.

Group 3: not classifiable as to its carcinogenicity to humans.

Group 4: probably not carcinogenic to humans.

Cancer classification under ACGIH (American Conference of Governmental Industrial Hygienists)

Group A1: confirmed human carcinogen.

Group A2: suspected human carcinogen.

Group A3: confirmed animal carcinogen with unknown relevance to humans.

Group A4: not classifiable as a human carcinogen. Group A5: not suspected as a human carcinogen.

12. Ecological information

Ecotoxicity

No	CAS No :	Common name and synonyms	%	Aquatic Ecotoxicity short term	Aquatic Ecotoxicity long term	Terrestrial Ecotoxicity
1	7447-40-7	Potassium chloride	98.00	No known adverse effect to aquatic life.	No known adverse effect to aquatic life.	No known adverse effect to the environment.
2	546-93-0	Magnesium carbonate. Magnesite	1.00	No known adverse effect to aquatic life.	No known adverse effect to aquatic life.	No known adverse effect to the environment.
3	7631-86-9	Silica, amorphous	1.00	No known adverse effect to aquatic life.	No known adverse effect to aquatic life.	No known adverse effect to the environment.







Potassium Chloride with Anti-Caking Agent

Persistence and degradability. Bioaccumulative potential. Other adverse effects

No	CAS No :	Common name and synonyms	%	Persistent	Bio- accumulation	Aquatic ecotoxicity
1	7447-40-7	Potassium chloride	≥ 98.00	Yes	No	No
2	546-93-0	Magnesium carbonate. Magnesite	< 1.00	Yes	No	No
3	7631-86-9	Silica, amorphous	< 1.00	Yes	No	No

Degradability: N/A Mobility in soil: N/A

13. Disposal considerations

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. Transport information

	TDG	DOT	IMDG	IATA
UN Number				
Proper shipping name	Not regulated.	Not regulated.	Not regulated.	Not regulated.
Transport hazard class(es)				
Packing group				

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78), and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)): N/A

Marine pollutant: No

Exemption for limited quantity: Not applicable

Other exemptions: Not applicable

Special precautions: Not applicable







Potassium Chloride with Anti-Caking Agent

15. Regulatory information

Canada

No	CAS No :	Common name and synonyms	%	DSL	NDSL	NPRI
1	7447-40-7	Potassium chloride	98.00	Х		
2	546-93-0	Magnesium carbonate. Magnesite	1.00	Х		
3	7631-86-9	Silica, amorphous	1.00	Х		

United States

No	CAS No :	Common name and synonyms	%	TSCA	PROP-65	RTK
1	7447-40-7	Potassium chloride	98.00	Х		
2	546-93-0	Magnesium carbonate. Magnesite	1.00	Х		
3	7631-86-9	Silica, amorphous	1.00	Х		

The customer is responsible for determining the PPE (personal protection equipment) code for this material.

The classification of the product and the SDS were developped in accordance with HPR and HazCom 2012.

All ingredients are listed on the EINECS or in compliance with the inventory. The customer is responsible for determining the PPE (personal protection equipment) code for this material. The classification of the product and the SDS were developed in accordance with HPR and HazCom 2012.

16. Other information

Date: 2021-10-13

Version: 1

Notice to reader: The manufacturer hereby declares that the information disclosed herein have been based on governmental sites and/or raw material supplier's. The manufacturer has no control over the nature and content of such information. The manufacturer fully reproduces all the information it holds on the constituent of the product, at the time it is manufactured. The manufacturer does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. By this data sheet, the manufacturer hereby discloses all the potential dangers it has knowledge of and which might be related to the using or manipulation of the product in order to allow the proper care to be brought and use with regard to the product. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist and notification is hereby given to the user. Notice is hereby given that injury can derive therefrom if the foregoing is not respected. The manufacturer assumes no responsibility for personal and/or material damage, lost or injury of whichever nature caused or which may occur following the wrongful, inappropriate, negligent or abusive use or handling of the product or from not having read the herein contained information.



